



DESCRIPTION	A beautiful soft European leather with a high degree of durability		
AVERAGE HIDE SIZE	5.5sqm		
THICKNESS	1 - 1.2mm		
WEIGHT	880gsm		
LEATHER TYPE	Semi-Aniline		
COLOURFASTNESS TO-AND-FRO RUBBING EN ISO 11640 + 11641	Dry 5 Wet 4 Perspiration 3-4		
LIGHTFASTNESS EN ISO 105-B02	≥ 4		
FINISH ADHESION EN ISO 11644	4.9 (N/10mm)		
pH AND ΔpH EN ISO 4045	pH 3.9 ΔpH 0.4		
TEAR STRENGTH EN ISO 3377-1	45 N		
FIRE RATINGS AS/NZS 1530.3	Ignitability	13	
	Spread of Flame	0	
	Heat Evolved	3	
	Smoke Developed	6	
AS/NZS 3837 (AS 5637.1)	BCA Group 1		
	Av. Specific Extinction Area	32.8m ² /kg	
ISO 5660.1	NZBC Group 1		
APPLICATION	Upholstery for commercial, residential and hospitality		

PLEASE NOTE

Sourced from high quality raw hides, Semi-Aniline leathers have a natural grain and an invisible water-based protective coating that ensures the leather is suitable for the most demanding situations while maintaining a very soft handle. A very fine pigment is applied to its surface thus increasing the leather's resistance to colour change that is caused by exposure to sunlight.

ENVIRONMENT

- 100% rapidly renewable / agricultural by-product.
- Environmentally Improved Production Process: Tannery operates an Environmental Management System, has reduced energy and water use and uses 30% less water than the industry average. 15% of the tannery's energy is renewable, sourced from the sun and wind. All by-products are reused or recycled.
- Certified as low-VOC, meeting the Green Star emission requirements. Test certificate available on request.
- Reusable.

CARE

- Avoid placing leather in direct sunlight, weather and at least 60cm from heat source.
- Do not use harsh chemicals, shoe polish, saddle soap or unidentified leather cleaners, solvents and oils.
- Keep free of dust and grit. Dust before cleaning. If vacuuming use a soft attachment.
- Gently remove all spills immediately with a clean dry cloth (do not use damp cloth). Do not scrub or rub hard.
- Regularly clean contact areas such as arms and head rests to avoid build up of perspiration and body oils, which may discolour leather.
- We recommend professional cleaning with specialist leather cleaners and conditioners in strict accordance with manufacturer's instructions.
- A copy of Leather Care for Finished Leathers can be downloaded from our website.



SEATING COMFORT RATING




A rating to determine a leather's seating comfort based upon the leather's ability to breathe and absorb moisture. Tested to ASTM E 96 M-05. EUROSOFT achieves a Good Seating Comfort rating.

EUROSOFT




EUROSOFT Daintree



EUROSOFT Cielo




EUROSOFT Veneto



EUROSOFT White



EUROSOFT Molsa



EUROSOFT Clematis




EUROSOFT Cloudstreet




EUROSOFT Souffle



EUROSOFT Verde




EUROSOFT Viola




EUROSOFT Anvil




EUROSOFT La Mer




EUROSOFT Vino Rosso




EUROSOFT Thunder



EUROSOFT Marina



EUROSOFT Rubus




EUROSOFT Black

Leather may vary in colour due to the nature of the media
Please refer to website for current colour range


EUROSOFT



EUROSOFT Raffia




EUROSOFT Ochre




EUROSOFT Halloween



EUROSOFT Basalt




EUROSOFT Mayfair




EUROSOFT Casaba



EUROSOFT Stalk



EUROSOFT Arid




EUROSOFT Rooster




EUROSOFT Caramello



EUROSOFT Ferre




EUROSOFT Helena



EUROSOFT Sand



EUROSOFT Baci



EUROSOFT Campari

Leather may vary in colour due to the nature of the media
Please refer to website for current colour range