


# ZONE

A versatile high-performance vinyl for indoor + outdoor applications



INSTYLE

# ZONE



ZONE Chill



ZONE Alpine



ZONE Cruising



ZONE Study




ZONE Time



ZONE Comfort



ZONE Focus



ZONE Dream



ZONE In




ZONE Alpine



ZONE Meditation



ZONE Pedestrian



ZONE One



ZONE Ambient



ZONE Mountain




ZONE Rush



ZONE District




ZONE Urban




ZONE Vogue




ZONE Thriller




ZONE Range



ZONE Border




ZONE Landing




ZONE School




ZONE Learning




ZONE Building




ZONE Dance



ZONE Arid



ZONE Game



ZONE Select

Product may vary in colour due to the nature of the media  
Please refer to website for current colour range


# ZONE



ZONE Carnival



ZONE Jazz



ZONE Festival



ZONE Red




ZONE Temperate



ZONE Play



ZONE Heat



ZONE Entertainment



ZONE Dimension



ZONE Wonder




ZONE Fun



ZONE Equator



ZONE Show




ZONE Tropical




ZONE Cycle




ZONE Ozone




ZONE Splash



ZONE Exploration




ZONE Sound




ZONE Global




ZONE Euro



ZONE Wetland



ZONE Twilight



ZONE City

Product may vary in colour due to the nature of the media  
Please refer to website for current colour range



COMPOSITION	85% PVC, 15% polyester	
WIDTH	137cm	
WEIGHT	656gsm	
PATTERN REPEAT	nil	
ROLL SIZE	27.4m approx.	
CARE CODE	V1	
ABRASION	Martindale AS2001.2.25 100,000	
LIGHTFASTNESS	AS 2001.4.21 6	
FIRE RATINGS	AS/NZS 1530.3	
	Ignitability	13
	Spread of Flame	0
	Heat Evolved	1
	Smoke Developed	7
AS/NZS 3837	BCA Group 3 Av. Specific Extinction Area 727.3m2/kg	
IMO Resolution A.625(16)	Sections 8.2 + 8.3:Pass* * Using flame retardant polyurethane foam	
APPLICATION	upholstery, screens, wall panels Ideal for indoor + outdoor, healthcare, hospitality, marine, office, public building, education, automotive and residential applications	

**PERFORMANCE**

- ZONE provides all the benefits of a high performing vinyl plus more with the Resilience<sup>SR</sup> finish.
- Resilience<sup>SR</sup> represents the latest technology in vinyl protection, enhancing performance where it is needed the most. Resilience<sup>SR</sup> is engineered to be long lasting, even after repeated cleaning and wear.
- **Permanent Stain Protection:** The Resilience<sup>SR</sup> finish guards against most stains. Most stains can simply be wiped away using mild soap and water.
- **Antimicrobial + Antibacterial Protection:** The Resilience<sup>SR</sup> finish is engineered to inhibit bacterial growth as well as fungus, mould and mildew spores, resulting in a more hygienic environment. ZONE has been tested to: AATCC 147 Antibacterial Activity Assessment of Textiles – Parallel streak method and ASTM G21 Resistance of Synthetic Polymeric Materials to Fungi.
- **Waterproof + Water Resistant**
- **Easy to Clean + Bleach Cleanable:** Easily cleaned with mild soap and water. Can be easily disinfected using one part bleach and ten parts water.
- **Abrasion Resistance:** Resilience<sup>SR</sup> provides additional wear properties and surface durability, thereby increasing the life of the material. ZONE is able to withstand wear and tear in high demanding situations.
- **Superior Lightfastness:** Achieves greater than 500 hours light fastness.
- **Excellent Strength:** Knitted fabric backing provides excellent tear and seam strength, with excellent stretch and tailoring properties.

**ENVIRONMENT**

- Environmentally Improved Production Process: Phthalate free (includes all phthalates listed in CAL Prop 65, CPSIA, REACH + RoHS), free of lead, BPA, TRIS + formaldehyde. Does not contain conflict minerals. Reduced energy and water consumption, recycling of waste and solution-dyed product.
- Manufacturer has an ISO 14001-certified Environmental Management System.